

# SAFETY DATA SHEET

## 2,5-Bis(tert-butyl peroxide)-2,5-dimethylhexane 7.5%

Lanzhou Auxiliary Agent Plant Co., Ltd

# SDS

- According to GHS (Sixth Revised Edition)

### Section 1 Product and Company Identification

#### > Product Identifier

Product Name	2,5-Bis(tert-butyl peroxide)-2,5-dimethylhexane 7.5%
Synonyms	-
CAS No.	-
EC No.	-
Molecular Formula	-

#### > Relevant Identified Uses of the Substance or Mixture and Uses Advised Against

Relevant Identified Uses	Please consult manufacturer.
Uses Advised Against	Please consult manufacturer.

#### > Details of the Supplier of the Safety Data Sheet

Applicant Name	Lanzhou Auxiliary Agent Plant Co., Ltd
Application Address	No.358 Nanpoping Shajingyi Anning District, Lanzhou City, Gansu Province, China
Applicant Post Code	730079
Applicant Telephone	+86-931-7713668
Applicant Fax	+86-931-7766467
Applicant E-mail	543908218@qq.com
Supplier Name	Lanzhou Auxiliary Agent Plant Co., Ltd
Supplier Address	No.358 Nanpoping Shajingyi Anning District, Lanzhou City, Gansu Province, China
Supplier Post Code	730079
Supplier Telephone	+86-931-7713668
Supplier Fax	+86-931-7766467
Supplier E-mail	543908218@qq.com

#### > Emergency Phone Number

Emergency Phone Number	+86-931-7766493
------------------------	-----------------

### Section 2 Hazards Identification

Hazard class and label elements of the product according to GHS (the sixth revised edition):

**> GHS Hazard Class**

<b>Organic Peroxides</b>	Type E
<b>Skin Corrosion/Irritation</b>	Category 3
<b>Eye Damage/Irritation</b>	Category 2B

**> GHS Label Elements**

Pictogram



Signal Word

**Warning****> Hazard Statements**

<b>H242</b>	Heating may cause a fire
<b>H316</b>	Causes mild skin irritation
<b>H320</b>	Causes eye irritation

**> Precautionary Statements****Prevention**

<b>P210</b>	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
<b>P234</b>	Keep only in original packaging.
<b>P235</b>	Keep cool.
<b>P240</b>	Ground and bond container and receiving equipment.
<b>P264</b>	Wash thoroughly after handling.
<b>P280</b>	Wear protective gloves/protective clothing/eye protection/face protection.

**Response**

<b>P332+P313</b>	If skin irritation occurs: Get medical advice/attention.
<b>P337+P313</b>	If eye irritation persists: Get medical advice/attention.
<b>P305+P351+P338</b>	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

**Storage**

<b>P403</b>	Store in a well-ventilated place.
<b>P410</b>	Protect from sunlight.
<b>P420</b>	Store separately.

**Disposal**

<b>P501</b>	Dispose of contents/container in accordance with local/regional/national/international regulations.
-------------	---

### Section 3 Composition/Information on Ingredients

Component	Concentration (weight percent, %)	CAS No.	EC No.
2,5-Bis(tert-butyl peroxide)-2,5-dimethylhexane	Commercial secrets	78-63-7	201-128-1
Calcium carbonate	Commercial secrets	471-34-1	207-439-9

### Section 4 First Aid Measures

**> Description of First Aid Measures**

<b>General Advice</b>	Immediate medical attention is required. Show this safety data sheet (SDS) to the doctor in attendance.
<b>Eye Contact</b>	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
<b>Skin Contact</b>	Take off contaminated clothing and shoes immediately. Wash off with plenty of water for at least 15 minutes and consult a physician if feel uncomfortable.
<b>Ingestion</b>	Do not induce vomiting. Never give anything by mouth to an unconscious person. Call a physician or Poison Control Center immediately.
<b>Inhalation</b>	Move victim into fresh air. If breathing is difficult, give oxygen. Do not use mouth to mouth resuscitation if victim ingested or inhaled the substance. If not breathing, give artificial respiration and consult a physician immediately.
<b>Protecting of First-aiders</b>	Ensure that medical personnel are aware of the substance involved. Take precautions to protect themselves and prevent spread of contamination.

**> Most Important Symptoms and Effects, both Acute and Delayed**

- 1 Substance accumulation, in the human body, may occur and may cause some concern following repeated or long-term occupational exposure.

**> Indication of Any Immediate Medical Attention and Special Treatment Needed**

- 1 Treat symptomatically.
- 2 Symptoms may be delayed.

**Section 5 Fire Fighting Measures****> Extinguishing Media**

**Suitable Extinguishing Media**  
**Unsuitable Extinguishing Media**

**> Specific Hazards Arising from the Substance or Mixture**

- 1 Containers may explode when heated.
- 2 Fire exposed containers may vent contents through pressure relief valves.
- 3 May expansion or decompose explosively when heated or involved in fire.

**> Advice for Firefighters**

- 1 As in any fire, wear self-contained breathing apparatus (MSHA/NIOSH approved or equivalent) and full protective gear.
- 2 Fight fire from a safe distance, with adequate cover.
- 3 Prevent fire extinguishing water from contaminating surface water or the ground water system.

**Section 6 Accidental Release Measure****> Personal Precautions, Protective Equipment and Emergency Procedures**

- 1 Ensure adequate ventilation. Remove all sources of ignition.
- 2 Evacuate personnel to safe areas. Keep people away from and upwind of spill/leak.
- 3 Use personal protective equipment. Avoid breathing vapours, mist, gas or dust.

**> Environmental Precautions**

- 1 Prevent further leakage or spillage if safe to do so.

- 2 Discharge into the environment must be avoided.

### > Methods and Materials for Containment and Cleaning Up

- 1 Absorb spilled material in dry sand or inert absorbent. In case of large amount of spillage, contain a spill by bunding.
- 2 Adhered or collected material should be promptly disposed of, in accordance with appropriate laws and regulations.
- 3 Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

## Section 7 Handling and Storage

### > Precautions for Handling

- 1 Handling is performed in a well ventilated place.
- 2 Wear suitable protective equipment.
- 3 Avoid contact with skin and eyes.
- 4 Keep away from heat/sparks/open flames/ hot surfaces.
- 5 Take precautionary measures against static discharges.

### > Precautions for Storage

- 1 Keep containers tightly closed.
- 2 Keep containers in a dry, cool and well-ventilated place.
- 3 Keep away from heat/sparks/open flames/ hot surfaces.
- 4 Store away from incompatible materials and foodstuff containers.

## Section 8 Exposure Controls/Personal Protection

### > Control Parameters

#### Occupational Exposure Limit Values

Component	Country/Region	Limit Value - Eight Hours		Limit Value - Short Term	
		ppm	mg/m <sup>3</sup>	ppm	mg/m <sup>3</sup>
Calcium carbonate 471-34-1	USA - OSHA	-	15	-	-
	Latvia	-	6	-	-
	Ireland	-	10	-	-
	France	-	10	-	-
	Canada - Québec	-	10	-	-
	Australia	-	10	-	-

#### Biological Limit Values

No information available

#### Monitoring Methods

- 1 EN 14042 Workplace atmospheres. Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents.
- 2 GBZ/T 160.1~GBZ/T 160.81-2004 Determination of toxic substances in workplace air( Series standard ).

### > Engineering Controls

- 1 Ensure adequate ventilation, especially in confined areas.
- 2 Ensure that eyewash stations and safety showers are close to the workstation location.

- 3 Use explosion-proof electrical/ventilating/lighting/equipment.
- 4 Set up emergency exit and necessary risk-elimination area.

### > Personal Protection Equipment

<b>Eye Protection</b>	Tightly fitting safety goggles (approved by EN 166(EU) or NIOSH (US).
<b>Hand Protection</b>	Wear protective gloves ( such as butyl rubber ) , passing the tests according to EN 374(EU),US F739 or AS/NZS 2161.1 standard.
<b>Respiratory protection</b>	If exposure limits are exceeded or if irritation or other symptoms are experienced, use a full-face respirator with multi-purpose combination (US) or type AXBEK (EN 14387) respirator cartridges.
<b>Skin and Body Protection</b>	Wear fire/flame resistant/retardant clothing and antistatic boots.

## Section 9 Physical and Chemical Properties

<b>Appearance:</b> White granules	<b>Odor:</b> No information available
<b>Odor Threshold:</b> No information available	<b>pH:</b> No information available
<b>Melting Point/Freezing Point (°C):</b> No information available	<b>Initial Boiling Point and Boiling Range (°C):</b> No information available
<b>Flash Point (°C)( Closed Cup):</b> Not applicable	<b>Evaporation Rate:</b> Not applicable
<b>Flammability:</b> No information available	<b>Upper/lower explosive limits[%(v/v)]:</b> Upper limit : No information available ; Lower limit : No information available
<b>Vapor Pressure (MPa):</b> Not applicable	<b>Relative Vapour Density(Air = 1):</b> Not applicable
<b>Relative Density(Water=1):</b> No information available	<b>Solubility:</b> No information available
<b>n-Octanol/Water Partition Coefficient:</b> No information available	<b>Auto-Ignition Temperature(°C):</b> No information available
<b>Decomposition Temperature (°C):</b> No information available	<b>Kinematic Viscosity (mm<sup>2</sup>/s):</b> Not applicable
<b>Particle characteristics:</b> No information available	

## Section 10 Stability and Reactivity

<b>Reactivity</b>	Contact with incompatible substances can cause decomposition or other chemical reactions.
<b>Chemical Stability</b>	Stable under proper operation and storage conditions.
<b>Possibility of Hazardous Reactions</b>	No information available
<b>Conditions to Avoid</b>	Incompatible materials, heat, flame and spark.
<b>Incompatible Materials</b>	No information available
<b>Hazardous Decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## Section 11 Toxicological Information

### > Acute Toxicity

Component	CAS No.	LD <sub>50</sub> (Oral)	LD <sub>50</sub> (Dermal)	LC <sub>50</sub> (Inhalation, 4h)
Calcium carbonate	471-34-1	6450mg/kg(Rat)	No information available	No information available
2,5-Bis(tert-butyl peroxide)-2,5-dimethylhexane	78-63-7	> 3200mg/kg(Rat)	No information available	No information available

> **Skin Corrosion/Irritation**

Causes mild skin irritation(Category 3)

> **Serious Eye Damage/Irritation**

Causes eye irritation(Category 2B)

> **Skin Sensitization**

No information available

> **Respiratory Sensitization**

No information available

> **Germ Cell Mutagenicity**

No information available

> **Carcinogenicity**

ID	CAS No.	Component	IARC	NTP
1	78-63-7	2,5-Bis(tert-butyl peroxide)-2,5-dimethyl hexane	Not Listed	Not Listed
2	471-34-1	Calcium carbonate	Not Listed	Not Listed

> **Reproductive Toxicity**

No information available

> **Reproductive Toxicity (Additional)**

No information available

> **STOT-Single Exposure**

Causes mild skin irritation(Category 3)

> **STOT-Repeated Exposure**

No information available

> **Aspiration Hazard**

No information available

## Section 12 Ecological Information

**> Acute Aquatic Toxicity**

No information available

**> Chronic Aquatic Toxicity**

No information available

**> Others****Persistence and Degradability**

No information available

**Bioaccumulative Potential**

No information available

**Mobility in Soil**

No information available

**Results of PBT and vPvB Assessment**

2,5-Bis(tert-butyl peroxide)-2,5-dimethylhexane does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.  
Calcium carbonate does not meet the criteria for PBT and vPvB according to Regulation (EC) No 1907/2006, annex XIII.

## Section 13 Disposal Considerations

**Waste Chemicals**

Before disposal should refer to the relevant national and local laws and regulation. Recommend the use of incineration disposal.

**Contaminated Packaging**

Containers may still present chemical hazard when empty. Keep away from hot and ignition source of fire. Return to supplier for recycling if possible.

**Disposal Recommendations**

Refer to section 13.1 and 13.2.

## Section 14 Transport Information

**Transporting Label****Marine pollutant**

None

**UN Number**

3108

**UN Proper Shipping Name**

ORGANIC PEROXIDE TYPE E,SOLID

**Transport Hazard Class**

5.2

**Transport Subsidiary Hazard Class**

None

**Packing Group**

Meet the class II packaging requirements

## Section 15 Regulatory Information

**> International Chemical Inventory**

Component	EINECS	TSCA	DSL	IECSC	NZIoC	PICCS	KECI	AICS	ENCS
2,5-Bis(tert-butyl peroxide)-2,5-dimethylhexane	✓	✓	✓	✓	✓	✓	✓	✓	✓

Calcium carbonate	√	√	√	√	√	√	√	√	√
-------------------	---	---	---	---	---	---	---	---	---

- 【EINECS】** European Inventory of Existing Commercial Chemical Substances.  
**【TSCA】** United States Toxic Substances Control Act Inventory.  
**【DSL】** Canadian Domestic Substances List.  
**【IECSC】** China Inventory of Existing Chemical Substances.  
**【NZIoC】** New Zealand Inventory of Chemicals.  
**【PICCS】** Philippines Inventory of Chemicals and Chemical Substances.  
**【KECI】** Existing and Evaluated Chemical Substances.  
**【AICS】** Australia Inventory of Chemical Substances.  
**【ENCS】** Existing And New Chemical Substances.

#### Note

- "√" Indicates that the substance included in the regulations  
 "×" That no data or included in the regulations

## Section 16 Additional Information

<b>Creation Date</b>	2017/12/22
<b>Revision Date</b>	2017/12/22
<b>Reason for Revision</b>	-

#### > Disclaimer

This Safety Data Sheet (SDS) was prepared according to UN GHS (the 6th revised edition). The data included was derived from international authoritative database and provided by the enterprise. Other information was based on the present state of our knowledge. We try to ensure the correctness of all information. However, due to the diversity of information sources and the limitations of our knowledge, this document is only for user' s reference. Users should make their independent judgment of suitability of this information for their particular purposes. We do not assume responsibility for loss, damage or expense arising out of or in any way connected with the handling, storage, use or disposal of the product.